

承認書

SPECIFICATION FOR APPROVAL

<p align="center">CUSTOMER'S APPROVAL CHOP 客戶確認蓋章</p> <p>Approval's condition: _____</p> <p>Approved date: _____</p>
--

確認這制品, 請簽回一套給我司并蓋上貴司的正式印章
KINDLY RETURN A SET WITH YOUR COMPANY'S OFFICIAL STAMP ON
APPROVAL OF THIS ITEM

客戶名稱 :
CUSTOMER'S NAME : _____

客戶機型 :
CUSTOMER'S MODEL NO. : _____

客戶型號 :
CUSTOMER'S PART NO. : _____

類別 :
DESCRIPTION : T10

達晶微編號 :
CREATEK'S MODEL NO. : DXT010079

版本 :
VERSION : A

日期 :
DATE : 2021/8/30



Prepared By	Checked By	Approved By
Hebe 2021/8/30	Pensee 2021/8/30	Alan 2021/8/30

Reision History

[illegible]

1. 外形尺寸 (单位:mm)


Physical Dimensions (Unit: mm)



A	13.0 MAX
B	8.0 MAX
C	12.5 MAX
D	5.0±1.0
E	0.30±0.1
F	3.0(ref.)
G	6.0(ref.)

2. 线路图

Connection



"•"表示起始端

3. 圈数线径规格

No of turns & Wire spec.

No	No of Pin	Truns	Wire spec.
N1	2 -- 1	36 Ts	ø0.30mm*1P UEFN/U
N2	4 -- 3	36 Ts	ø0.30mm*1P UEFN/U

注：线圈圈数按磁环内圈计算

4. 电气特性

Electrical Characteristics

Items/項目	繞組/Winding	規格/Specifications	测试条件/Test conditions
電感量/Inductance	L(2-1)	4mH Min	at 10kHz,0.1Vrms
	L(4-3)	4mH Min	
直流電阻/DCR	R(2-1)	190mΩ Max.	at 25℃
	R(4-3)	190mΩ Max.	
耐压/Hi-Pot	绕组 - 绕组	1000VAC	3mA / 1SEC.

5. 材料清单

Bill of Material

No	Items	Material Name	Manufacturer	UL File No	SGS File No
1	Core A	Ferrite core A10 T10X6X5C	ACME or Equivalent	NIL	
OR	Core B	Ferrite core N10 T10X6X5C	ENCORE or Equivalent	NIL	
2	Copper Wire	Polyurethane wire ø0.30mm UEFN/U	PACIFIC or Equivalent	E201757	A2180198365101E